STARPLUS[®] STS

STA 103 NOU 19 03 09:44 an

Refreshingly New, Refreshingly Simple, Refreshingly Affordable

STARPLUS[®] STS

Phone System

 ΔM

Refreshingly Flexible

- PBX/Centrex Compatibility
- Supports full or fractional T1
- Phones are CTI adaptable
- ADP Additional Device Port on every phone for fax or modem connection
- Standard 2.5 mm Headset Jack on every phone
- Voice Mail does not reduce System Capacity
- UCD & LCR Capability

Refreshingly Simple

- Easy to Configure, Install & Program
- One phone model loaded with features
- Soft keys below display enable quick access to system features
- Name & number display Caller ID is standard on CO lines
- Optional In-Skin Voice Mail
- Basic or Expanded System options

Refreshingly Affordable

Vodavi is proud to announce the availability of our newest telephone system, the STARPLUS STS. STS stands for Small Telephone System. This system is perfect for small businesses and is loaded with many features previously available only to larger enterprises. Best of all, this system is modestly priced, making it refreshingly affordable as well.

Hold the Phone...

Rather than offering multiple phone models, we've packed all the features you need in one handsome, easy-to-use speakerphone. The STS phone has 24 flexible buttons that can be programmed to monitor stations in use, enable one touch speed dial, or to enable system features such as Do Not Disturb, All Call Page, and many more.

The phone also has 3 interactive soft keys positioned directly below the 2 x 24 character display that enable quick access to common system features. The phone is CTI capable as well. The speakerphone enables convenient hands-free use and the volume control independently controls both handset and speaker volume.

STS System Capacities	CO Lines	Digital Stations	Analog Ports
Basic System (BKSU)	12	24	2*
Max Capacity With (EKSU)	24	48	2*

*The total number of analog (SLT) devices per system that can be supported is 22 (including the 2 on board). If 22 SLT's are installed, the digital station count is reduced to 8.



The optional STS On-Board Voice Mail System Enhances Productivity With Key Features Such As:

Dial-by-Name Auto-Attendant – Allows callers to direct themselves to the appropriate person without the help of an operator. If callers know their extension they can dial it at any time and thus bypass the auto-attendant.

Menu Routing – Route callers more efficiently (Example, for Sales, press 1, for service, press 2, etc.) Up to 5 menus available.

RAN Announcements – Play messages to your callers while they are waiting to speak with someone

Fax Tone Detect – Automatically detects an incoming fax and forwards it to a designated fax machine.

Voice Mail User Productivity Features Include:

Message Wait Light – Light indicates new voice mail messages

Message Storage – Save a message for future reference

Message Forwarding – Direct messages to the proper people quickly and efficiently

Call Forwarding – Have incoming calls forwarded directly to your mailbox. Users can program this themselves without having to consult the system administrator

Pager Notification – Users can choose to be paged if there is a new message in the system (up to 18 digits)

Remote Access – Check your voice mail messages from any touch-tone phone

Live Call Screening Option – (Answering Machine Emulation) Listen to messages as they are being recorded and pick up the phone if you want to speak with the caller

Change Personal Greetings – Recorded name, personal greeting, and temporary greeting are controlled by the user

Date and Time Stamp - Find out when a message was left

Password Control - Change the password at any time

OneTouch Record – Record important conversations for future reference

STARPLUS STS optional In-Skin Voice Mail Card

This in-skin solution makes voice mail a refreshingly affordable option for any small business. It plugs right into the phone system itself, eliminating the need for more expensive external equipement.

This 8-port system has 64 mailboxes and 3 hours of message storage, expandable to 9 hours.



STARPLUS STS

Call Transfer

Camp-On Extension

Centrex Compatibility

CO Ring Tones

(via Speed Dial)

CTI Adaptable

Dial By Name

DSS/BLF

Call Specific)

Do Not Disturb Plan

End to End Signaling

Dual Color LEDs

CO Alternate Boute

Account Codes - Unverified/Verified/Traveling COS Alarm Key - Diagnostics Alert Alpha-Numeric Display (Super Twist) All Call Paging Automated Attendant (Optional Includes Alternate Ringing Mode) Analog Adapters Answering Machine Emulation Attendant override Attendant Alert (911 feature) Attendant Unavailable (Alternate Position) Attendant - Setting System Day & Night Time Attendant - Directory by List Programming Attendant - Software Version Display Attendant - Speed Dial - System Storing Attendant Administration Attendant/Extension Console Attendant Recall Automatic Three Mode Operation (Day/Night/Special) Automatic Hold Automatic Line Selection (Programmable) Automatic Mode (Day/Night/Special) Automatic Privacy BGM (1) channel - MOH Barge In Battery Backup Busy Lamp Field Call Announce - Privacy Call Back Call Coverage Call Duration Timer Call Forward - All Calls Call Forward - Busy Call Forward Busy/No Answer Call Forward Extension Direct Call Forward - Extension - External Call Forward - Override Call Forward - No Answer Call Park (System/Personal/Station) Call Pickup (Directed Pickup/Group Pickup) Caller ID Name & Number Calling Station Tone Mode Caller ID Call Table (100-System)

WE'RE TALKING TECHNOLOGY www.vodavi.com

4717 East Hilton Avenue Suite 400 Phoenix, Arizona 85034 800-843-4863 480-998-2469 (fax)

Proud to be tracked by NASDAQ: VTEK

Call Operator/Attendant (Programmable Code) Caller ID Answered/Unanswered Call Review **Calling Party Indication** Class of Service - CO Line Flash Class of Service - Extension CO Line Receive Assignment (allows answering ability while restricting outgoing access.) CO Line Ring Assignment CO Line Type Assignment (PBX, CO, Device Port) CO Lines Offnet Forward - Incoming CO Line Group (Pooled Access) Headset Mode CO Line Name Programming (7-character) Hold Abandon CO Line Assignment (Complete Flexibility) CO Line Programming Copy CO Line Queuing (CO Line Call Back) CO Line Ringing Mode (Day/Night/Special) Hold Reminder CO Line Signaling (Tone/Pulse) Hot Key CO Line Loop Supervision (Call Abandon) Computer Telephony Integration (CTI) Hot Line Conference (Establish/Exit/Re-enter/Terminate) Database Programming via TU I-Use Indication Database Programming via PC-DBA Day/Night Special Mode Dial Pad Confirmation Tone **Disable Outgoing Co Access** DTMF Receivers (One per Analog Port) Meet me Page Distinctive Ringing (On CO/STA) Music On Hold Discriminating Ringing (Internal/External Mute Default Numbering Plan Muted Ring Executive/Secretary Screen Extension Groups (Paging, Pick Up)

Extension Programming Copy **Extension Swapping** Extension User Name External Music Source Fax Detection with Automatic Transfer Feature Code List Flexible Feature Button Inquiry Flexible System Numbering Plan Flexible Extension Numbering Plan Flexible Feature Button Programming Forced CO Call Forward Forced Intercom Call Forward Forced Intercom Tone Ring Forced Release Group Listening Holding Call Answer/Select Hold - Common (System) Hold - Exclusive Hour Mode Selection Hunt Groups via UCD-Linear I-Hold Indication Incoming CO Transfer Intercom Buttons/Intercom Call/Keyset Mode Intercom Non Blocking Interactive Softkeys Last Number Redial Mailbox Buttons Message Waiting Name in Display Night Service Activate OHVO - Off Hook Voice Over On Hook Dialing Off Hook Preference/Programming One Touch Recording Paging (Internal/External) Paging (Allow & Deny)

Pause Insertion PC Database Administration Personalized Messages PBX/Centrex on a Flex Button **PBX/Centrex Transfer** Power Supply - 110/220VAC Privacy **Privacy Release** Private Line Pulse to DTMF Conversion Recall **Reminder Tones** Remote Programming via PC-DBA **Repeat Redial Ringing Line Priority** Saved Number Redial Screened Transfer SLT/Analog Device Support SLT Co Line Flash SLT Hotline Speakerphone Station ID Lock Station Off Net Call Forwarding (via speed dial) SMDR Station Renumbering Speed Dial (20 per station) Speed Dial (1000 per system) Storing Speed Numbers T1 Capability Text Messaging **Toll Restriction** UCD (Available/Unavailable Mode) UCD (Display calls in queue) UCD Agent Log Off/On UCD Overflow (Station Forward) Universal Day/Night Answer UCD Reroute Destination UCD Voice Announce Group User Name Programming Virtual Number Voice Mail/Call forward to voice mail groups) Voice Announce - Handsfree Reply Volume Controls Warning Time Warning Tone

Worksheets (Flex Button Program Worksheet & Speed Dial Program Worksheet)